



Center for
Testing and
European
Certification

NOTIFIED BODY NB 1871

CERTIFICATE

OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

1871 - CPR - 0287

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction products

FLEXIBLE SHEETS FOR WATERPROOFING

with intended use described in the Annex,

placed on the market under the name or trade mark of

AQUAIZOL LLC

62371, Kharkiv region, Podvorky v., 47b Sumsy Shliakh str., Ukraine

and produced in the manufacturing plant

AQUAIZOL LLC

62371, Kharkiv region, Podvorky v., 47b Sumsy Shliakh str., Ukraine

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 13969:2004, EN 13969:2004/A1:2006, EN 13707:2004+A2:2009

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

The validity of the certificate is confirmed annually by reissuing while observing the rules for certification of CTEC Ltd.

First issue:	15.08.2018
Current issue:	15.08.2026
Expiry date:	15.08.2027

Manager:
Dipl. eng. Blagovesta Shineva



This edition of the certificate replaces and cancels all its previous editions
This certificate includes one Annex with 2 (two) pages

2, Industrialna Str., 6006 Stara Zagora, Bulgaria
tel.: +359 42 620368 | www.ctec-sz.com



ANNEX TO
CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL
1871 – CPR – 0287

Type of products	Intended use	Technical specification /EN/
Flexible reinforced bitumen sheets: - "Ruberit ECO-FG-2,0" - "Ruberit ECO-FG-2,5" - "Ruberit ECO-PE-2,5" - "Ruberit ECO-FG-4,0-PB or PS" - "Ruberit ECO-PE-4,0-PB or PS"	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Ruberit-FG-2,0" - "Ruberit-FG-2,5" - "Ruberit PE-2,0" - "Ruberit PE-2,5" - "Ruberit PE-3,0" - "Ruberit FG-3,5-PB or PS" - "Ruberit FG-4,0-PB or PS" - "Ruberit PE-3,5-PB or PS" - "Ruberit PE-4,0-PB or PS" - "Ruberit PE-4,5-PB or PS"	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol ECO-FG-2,5" - "Aquaizol ECO-FG-3,0" - "Aquaizol ECO-PE-2,5" - "Aquaizol ECO-PE-3,0" - "Aquaizol ECO-PE-4,0" - "Aquaizol ECO-FG-4,0-PB or PS" - "Aquaizol ECO-PE-4,0-PB or PS"	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol APP-FG-2,0" - "Aquaizol APP-FG-2,5" - "Aquaizol APP-FG-3,0" - "Aquaizol APP-PE-2,0" - "Aquaizol APP-PE-2,5" - "Aquaizol APP-PE-3,0" - "Aquaizol APP-FG-3,5-PB or PS" - "Aquaizol APP-FG-4,0-PB or PS" - "Aquaizol APP-PE-3,5-PB or PS" - "Aquaizol APP-PE-4,0-PB or PS" - "Aquaizol APP-PE-4,5-PB or PS" - "Aquaizol APP-PE-5,0-PB or PS"	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009

First issue: 15.08.2018

Current issue: 15.08.2026

Expiry date: 15.08.2027

Manager:
Dipl. eng. Blagovesta Shineva



ANNEX TO
CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL
1871 – CPR – 0287

Type of products	Intended use	Technical specification /EN/
Flexible reinforced bitumen sheets: - "Aquaizol SBS-FG-2,5" - "Aquaizol SBS-FG-3,0" - "Aquaizol SBS-PE-2,5" - "Aquaizol SBS-PE-3,0" - "Aquaizol SBS-FG-4,0-PB or PS" - "Aquaizol SBS-PE-4,0-PB or PS" - "Aquaizol SBS-PE-4,5-PB or PS"	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol ELAST-PE-4,0-PB or PS" - "Aquaizol ELAST-PE-4,5-PB or PS" - "Aquaizol ELAST-PE-5,0-PB or PS" - "Aquaizol ELAST-PE-6,5-PB or PS"	Damp proofing for buildings, including basement tanking	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol ELAST-PE-3,0" - "Aquaizol ELAST-PE-3,5" - "Aquaizol ELAST-PE-4,0"	Damp proofing for buildings, including basement tanking	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol FLEX-PE-5,3-PB or PS (3,8 mm)" - "Aquaizol FLEX-PE-4,1 (2,8 mm)" - "Aquaizol FLEX-PE-5,5-PB or PS (4,2 mm)"	Damp proofing for buildings, including basement tanking	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Note: Products marked with symbol (*) are also intended to be used as basement tanking		

First issue: 15.08.2018
Current issue: 15.08.2026
Expiry date: 15.08.2027

Manager:
Dipl. eng. Blagovesta Shineva

